




FP PATTARONI



Raccorderia per l'idraulica
Brass fittings

C A T A L O G O
LISTINO PREZZI 2015



FP PATTARONI


Raccorderia per l'idraulica
Brass fittings



C A T A L O G O
LISTINO PREZZI 2015







Rubinetti
Taps

Rubinetti
Taps

F2

Rubinetto sottolavabo
con snodo a sfera
*Angle valve stop-cock
with swivel*



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F2CR001	1/2"x10mm	2	50
F2CR002	3/8"x10mm	2	50

F044

Rubinetto sottolavabo a sfera
Angle valve stop-cock



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F044CR001	1/2"x3/8"	1	50
F044CR002	1/2"x1/2"	1	50

F045

Rubinetto per cassetta WC
con chiusura a vitone
*Angle valve for water box,
with swivel*



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F045CR001	1/2"x3/8" Ø10	1	50
F045CR002	3/8"x3/8" Ø10	1	50
F045CR003	1/2"x1/2" #	1	50
F045CR004	3/8"x3/8" #	1	50

(s/calotta - without cap)

F1

Rubinetto per cassetta WC
con tubetto rame
*Angle valve for water box with
copper tube*



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F1CR001	1/2"x3/8" Ø10	1	50
F1CR002	3/8"x3/8" Ø10	1	50

F47

Rubinetto sottolavabo
con filtro e chiusura a vitone
*Angle valve for wash basin with filter
and swivel*




CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F47CR003	1/2"x10mm	2	50

F49

Rubinetto sottolavabo pesante
con rosone
*Heavy angle-valve stop-cock
with rosette*



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F49CR001	1/2"X3/8"	1	50

F094

Rubinetto combinato
senza filtro ispezionabile
*Combined tap without inspection
filter*



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F094CR001	S/FILTRO	1	50

F095

Rubinetto combinato
con filtro ispezionabile
Combined tap with inspection filter



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F095CR001	C/FILTRO	1	50

F780

Rubinetto lavatrice
Tap for washing machine



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F780CR001	3/8"x3/4"	10	100
F780CR002	1/2"x3/4"	10	100

F798

Rubinetto lavatrice lusso
Luxury tap for washing machine



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F789CR002	1/2"x3/4"	10	100

F781

Rubinetto 3 vie lusso
Three ways luxury tap



CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Conf.
F781CR001	3/8"x3/4"	10
F781CR002	1/2"x3/4"	10

F782

Rubinetto 3 vie economico
Three ways economical tap



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F782CR002	1/2"x3/4"	10	100

F617

Rubinetto erogatore
Nozzle tap



CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F617CR001	1/2"	5

F611

Rubinetto erogatore per lavatrice
Two-handle tap for washing machine



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F611CR001	1/2"x3/4"	1	4

F612

Gruppetto lavatrice con canna
Washing machine and sink tap with
swinging spout



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F612CR001	1/2"x3/4"	1	5

F613

Rubinetto a snodo con canna
Sink tap with swinging spout



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F613CR001	1/2"	1	5

F614

Gruppo lavello con vitone normale
Sink mixer with normal headwork



CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F614CR001	misura unica	1

F616

Gruppetto per scaldabagno
Group for water-heater



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F616CR001	1/2"x3/4"	1	5

F142

Rubinetto per contatori acqua
Water meter tap



CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F142CR001	1/2"x3/4"	5
F142CR002	1"x3/4"	5

F61

Rubinetto boiler
Boiler tap



CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F61CR001	1/2" MM	10
F61CR002	1/2" MF	10
F61CR003	1/2" FF	10

F380

Rubinetto a pulsante per fontane
Push button tap for fountains



GIALLO LUCIDO - polished yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F380GL001	1/2"	10

CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F380CR001	1/2"	10

F381

Rubinetto erogatore collo curvo
Supplying tap with bent neck



GIALLO SABBIATO - sandblasted yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F381GS005	1/2"	10
F381GS009	3/4"	10

SABBIATO CROMATO - sandblasted chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F381SC007	1/2"	10
F381SC011	3/4"	10

GIALLO LUCIDO - polished yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F381GL006	1/2"	10
F381GL010	3/4"	10

LUCIDO CROMATO - polished chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F381LC008	1/2"	10
F381LC012	3/4"	10

F382

Rubinetto portagomma
Bib cock with hose union



GIALLO SABBIATO - sandblasted yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F382GS005	1/2"	10
F382GS009	3/4"	10
F382GS013	1"	5

SABBIATO CROMATO - sandblasted chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F382SC007	1/2"	10
F382SC011	3/4"	10
F382SC015	1"	5

GIALLO LUCIDO - polished yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F382GL006	1/2"	10
F382GL010	3/4"	10
F382GL014	1"	5

LUCIDO CROMATO - polished chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F382LC008	1/2"	10
F382LC012	3/4"	10
F382LC016	1"	5

F383

Rubinetto portagomma con chiave
Bib cock with hose union and key



GIALLO SABBIATO - sandblasted yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F383GS002	1/2"	10

GIALLO LUCIDO - polished yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F383GL001	1/2"	10

F620

Rubinetto portagomma a sfera
Bib cock with hose union



CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F620CR001	3/8"	20
F620CR002	1/2"	20
F620CR003	3/4"	15
F620CR004	1"	10

F624

Rubinetto portagomma con vitone
*Bib cock with hose union
and headwork*



CROMATO - chrome-plated

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F624CR001	1/2"	4

F516

Rubinetto "perfect" per liquidi densi
"Perfect" type valve for thick liquids



GIALLO - yellow

Codice Code	Misura Size	Pezzi /Conf. Pieces/Box
F516R001	3/4"	30
F516R002	1"1/2	15
F516R003	2"	10
F516R004	2"1/2	5
F516R005	3"	3
F516R006	4"	2

F254

Valvola sfera mini MF
Mini ball valve MF



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F254CR000	1/4" Mx 1/4" F	50	200
F254CR001	3/8" Mx 3/8" F	50	200
F254CR002	1/2" Mx 1/2" F	50	200
F254CR004	3/4" Mx 3/4" F	25	50

F250

Valvola sfera mini FF
Mini ball valve FF



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F250CR000	1/4" Fx 1/4" F	50	200
F250CR001	3/8" Fx 3/8" F	50	200
F250CR002	1/2" Fx 1/2" F	50	200

F608

Valvola sfera scarico caldaia
Ball valve for boiler drain



CROMATO - chrome-plated

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F608CR001	3/8" x 3/4"	10	100
F608CR002	1/2" x 3/4"	10	100

F607

Rubinetto scarico caldaia
taglio cacciavite
Boiler drain with screwdriver cut



GIALLO - yellow

Codice Code	Misura Size	Pzz/Conf. Pcs/Conf.	Pzz/Box Pcs/Box
F607R001	1/2" x 3/4"	10	100

RACCORDERIA IN OTTONE

SCHEDA INFORMATIVA

MATERIALI UTILIZZATI PER LA REALIZZAZIONE DEL PRODOTTO

Materia prima utilizzata (a seconda delle misure degli articoli)	LEGA 39Pb3 Barra in ottone trafilata in verghe - Lega Europea CW 614 N norma UNI EN 12164
	LEGA EURO Barra in ottone estrusa in verghe - Lega Europea CW 617 N norma UNI EN 12165
O.Ring	<ul style="list-style-type: none">Mescola 01/H70 NBR è idonea e certificata per impiego con gas, ad una temperatura di utilizzo, in continuo, da -20°C a +100°C. Non è compatibile con il vapore acqueo.Mescola 01/B70 NBR è idonea e certificata per impiego sia con gas che con acqua potabile, ad una temperatura di utilizzo, in continuo, da -20°C a +100°C. Non è compatibile con vapore acqueo.Mescola 01/M70 HNBR è idonea e certificata per impiego con gas, ad una temperatura di utilizzo, in continuo, da -40°C a +150°C.
Guarnizioni	Fibra FASIT <i>esente da Amianto</i> per uso acqua, temperatura max 180°C

PROCESSO DI LAVORAZIONE

Da Barra Trafilata	<ul style="list-style-type: none">Filettatura su torni automatizzati
Da Barra Estrusa	<ul style="list-style-type: none">Stampaggio a caldo con riscaldamento della bilette di barra, ad una temperatura di circa 720°CRimozione della sbavaturaSabbatura del pezzoFilettatura, (utilizzando macchine transfer o torni automatizzati).
Pulitura e Cromatura	<ul style="list-style-type: none">SmerigliaturaBurattaturaCromatura (utilizzando NICKEL o CROMO) Lo spessore di circa 10 micron varia a seconda dell'articolo.

PROVE DURANTE LA LAVORAZIONE

- Misurazione con le relative attrezzature, delle altezze, diametri e spessori dei vari articoli
- Misurazione a tampone delle vari filettature
- Prove di pressione dei raccordi: min 10Bar max 25 Bar.

I raccordi hanno il compito di unire due o più tubi tra di loro, o di chiudere tubi anche di diametri differenti. In corrispondenza dei raccordi, si hanno delle perdite di carico, che devono essere considerate durante la progettazione.

CONFORMITÀ DEL PRODOTTO

Gli articoli sono conformi al D.M. 22.01.2008 – nr. 37

Dichiarazione conformità dei prodotti

In qualità di produttore e di distributore di raccordi filettati in ottone giallo e cromato, idonei alla realizzazione di impianti idrotermosanitari, specifica che le filettature sono conformi alle norme europee.

La materia prima utilizzata è conforme alla norma UNI EN 12165 e nello specifico CW617 N-M con contenuto di piombo massimo ammesso del 2,2%

PRESO ATTO

del D.M. n° 37/2008 "**Norme per la sicurezza degli impianti**"

DICHIARA

che i prodotti sono costruiti a regola d'arte e prodotti in ITALIA nel pieno rispetto delle norme igieniche, sanitarie e ambientali.

PATTARONI FABRIZIO

La scelta della raccorderia e la corretta installazione sono responsabilità dell'installatore.

BRASS FITTINGS

TECHNICAL INFORMATIONS

MATERIALS USED TO PRODUCE ITEMS

Raw material (It depends on Items' sizes)	39Pb3 LEAGUE Drawn brass bar - European League CW 614 N according to law UNI EN 12164
	EURO LEAGUE Extruded brass bar – European League CW 617 N according to law UNI EN 12165
O.Ring	<ul style="list-style-type: none"> Mix 01/U70 NBR is suitable and certified for gas using, temperature from -20°C to +100°C. Not suitable for water vapour. Mix 01/B70 NBR is suitable and certified for gas using and potable water, temperature from -20°C to +100°C. Not suitable for water vapour. Mix 01/M70 HNBR is suitable and certified for gas using, temperature from -40°C to +150°C.
Gaskets	FASIT fibre <i>Asbestos-Free</i> for water use, max temperature 180°C

MANUFACTURINGS PROCESS

Drawn Brass Bar	<ul style="list-style-type: none"> Threads will be turned on automatic lathes
Extruded Brass Bar	<ul style="list-style-type: none"> Pressing and stamping brass bar, heating the brass rod to temperature 720°C Remove the burring Sandblasting the Item Threading the item, (using trasfer machine or automatic lathes).
Cleaning and chrome plating	<ul style="list-style-type: none"> Polishing Tumbling Chrome plating (using NICKEL or Chrome) The thickness is about 10 micron, and it depends on kind of Item.

PROCESSINGS' TESTS

- Measuring of height, diameters and thickness, using specific mechanical equipment
- Measuring of threads
- Pression Tests of Fittings: min 10Bar max 25 Bar.

Fittings are used to connect two or more pipes each others, or to close pipes with different diameters. In correspondence to fittings, there is load-less, that it will be considered during the project-phase.

CONFORMITY OF PRODUCTS

Items are conformed to the law: D.M. 22.01.2008 – nr. 37.



Raccorderia per l'idraulica
Brass fittings

Declaration of conformity of products

As manufacturer and distributor of yellow and chrome-plated Brass Fittings, it declares that all our Items are suitable for any plumbing installation, and it specifies that the threads are in accordance with European standards.

The raw material complies the EN 12165 and in particular CW617 NM, and it is conformed to the European standards.

Products are perfectly done and they are produced in ITALY, fully complying with the hygiene, health and environmental norms.

PATTARONI FABRIZIO

The choice of fittings and its correct use, are responsibility of hydrothermal systems installer.




FP PATTARONI FABRIZIO

Via dei Castagni, 3
28017 San Maurizio d'Opaglio (NO)
Italy

Tel. +39 0322 950 505
Fax +39 0322 964 96
e-mail: info@fppattaroni.it

www.fppattaroni.it



Progetto grafico:
Julita - Atelier di comunicazione visiva
www.julita.it

Finito di stampare nel mese di aprile 2015



FP
FP PATTARONI